

PUBLICATIONS BY WACHIRA FN

1. Kimani, E.; Matasyoh, J.; Kinyua, M. and **Wachira, F.N.** (2017). Characterization of volatile compounds and flavor attributes of *Lablab purpureus* bean accessions. *African Journal of Biotechnology*, (Accepted- In press).
2. Muturi, C.; Rono, M.K.; Masiga, D.K.; **Wachira, F.N.**; Ochieng, R. and Mireji, P. (2017). Transcriptional responses of *Anopheles gambiae* S.S. mosquito larvae to chronic exposure of cadmium heavy metal. *F1000 Research*, 6: 2173 (doi:10.12688/f1000research.13062.1).
3. Odak, J.A.; Owuor, P.O.; Mang'uro, L.O.A.; **Wachira, F.N.** and Cheramgoi, E. (2017). Influence of nitrogen fertilization on Red Spider mites (*Oligonychus coffeae* Nietner) and overhead volatile organic compounds in Tea (*Camellia sinensis*). *International Journal of Tea Science*, 13: 52-59 (doi:10.20425/ijts.v13:01-02.9985).
4. Ochanda, S.O.; Rashid, K.; Wanyoko, J.K.; Faraj, A.K.; Onyango, C.A.; Ngotho, M.; Maranga, D.N. and **Wachira, F.N.** (2017). Assessing the *in-vivo* effects of ingesting tea fortified yoghurts in murine model. *Interdisciplinary Journal of Gastroenterology, Hepatology and Endoscopy*, 1:1-9.
5. Karori, S.M.; Mireji, P.O.; Ngure, R.M.; Stomeo, F.; Kyallo, M.; Muoki, C. and **Wachira, F.N.** (2017). Tea (*Camellia sinensis*) infusions ameliorate cancer in 4TI metastatic breast cancer model. *BMC Complementary and Alternative Medicine*, 17:202 (Doi 10:1186/s12906-017-1683-6).
6. Bedada, L.T.; Seth, M.S.; Runo, S.M.; Teffera, W.; Mugoya, C.; Masiga, C.W.; Oduor, R.O.; Blumwald, E. and **Wachira, F.** (2016). Drought tolerant tropical maize (*Zea mays* L.) developed through genetic transformation with isopentenyl transferase gene. *African Journal of Biotechnology*, 15:2447-2464.
7. Odak, J.A.; Owuor, P.O.; Mang'uro, L.O.A.; **Wachira, F.N.** and Cheramgoi, E. (2016). Variability of overhead volatile organic compounds in clonal tea (*Camellia sinensis*) and their influence on red crevice mite (*brevipalpus phoenicis* geijskes) infestations. *International Journal of Tea Science*, 12:16-29.
8. Odak, J.A.; Cheramgoi, E.; Owuor, P.O.; Mang'uro, L.O.A. and **Wachira, F.N.** (2016). Evaluation of tea clones for resistance to mites infestations and the influence of weather parameters on mites dynamics in Kenyan tea farms. *International Journal of Tea Science*, 12:6-15.
9. Muthiani, M.A.; Kanyiri, W.; **Wachira, F.N.**; Kamunya, S.M.; Chalo, R.; Kimutai, S.; Khalid, R. and Karori, S. (2016). Potential use of Kenya tea cultivars in development of high value diversified tea products. *International Journal of Tea Science*, 12:30-48 (Doi:10.20425/ijts.v0iof.9599).
10. Maritim T.; Kamunya S.; Mwendia C.; Mireji P.; Muoki R.; Wamalwa M.; Francesca S.;

- Schaack S.; Kyallo M. and **Wachira F.** (2016). Transcriptome-based identification of water-deficit stress responsive genes in the tea plant, *Camellia sinensis*. *Journal of Plant Biotechnology*, 43: 302-310 (doi:<http://dx.doi.org/10.5010/JPB.2016.43.3.302>).
11. Ochanda, S.O.; Rashid, K.; Wanyoko, J.K.; Ngotho, M.; Faraj, A.K.; Onyango, C.A.; **Wachira, F.N.** and Maranga, D.N. (2016). Fortification of alcoholic beverages (12% v/v) with tea (*Camellia sinensis*) reduces harmful effects of alcohol ingestion and metabolism in mouse model. *British Medical Journal Open Gastroenterology*, 3:e000058 doi:[10.1136/bmjgast-2015-000058](https://doi.org/10.1136/bmjgast-2015-000058).
12. Kiarie, S.M.; Karanja, L.S.; Obonyo, M. and **Wachira, F.N.** (2016). Biochemical relationships involving multiple virus infections, dry matter and selected nutritional attributes in orange fleshed sweetpotato. *Acta Horticulturae (ISHS)* **1118**:139-146.
13. Muturi, S.M.; **Wachira, F.N.**; Karanja, L.S. and Njeru, L. (2016). The mode of transmission of Banana Streak Virus by *Paracoccus burnerae* (Homiptera; Planococcidae) vector is non-circulative. *British Microbiology Research Journal*, 12(6): 1-10.
14. Too, J.; Wanyoko, J.; Kinyanjui, T.; Moseti, K. and **Wachira, F.** (2016). Quantitative estimation of γ -Glutamylethylamide in commercially available made tea (*Camellia sinensis* (L.) O. Kintze, Theaceae) in Kenya. *American Journal of Plant Sciences*, 7: 55-62.
15. George, K.O.; Wanyoko, J.K.; Kinyanjui, T.; Moseti, K.O and **Wachira, F.N.** (2016). Comparative assessment of the fatty acid profiles of crude oils extracted from seeds of selected tea (*Camellia sinensis* L.) cultivars. *Food and Nutrition Sciences*, 7: 1-7.
16. Muthiani, M.A.; Wanyoko, J.K.; **Wachira, F.N.** and Karori, S. (2016). Influence of geographical regions on catechin and caffeine levels in tea (*Camellia sinensis*). *American Journal of Plant Sciences*, 7: 562-571 (Doi:[10.4236/ajps.73049](https://doi.org/10.4236/ajps.73049)).
17. Kimutai, S.; Kanyiri, W.J.; Thomas, K. and **Wachira, F.N.** (2016). Determination of residual catechins, polyphenolic contents and antioxidant activities of developed Theaflavin-3,3'-Digallate rich black teas. *Food and Nutrition Sciences*, 7: 180-191 (Doi:[10.4236/fns.2016.73020](https://doi.org/10.4236/fns.2016.73020)).
18. Kimutai, S.; Kinyanjui, T.; Wanyoko, J.K.; **Wachira, F.N.** and Muthiani, A. (2015). Optimization of aeration time in the development of Theaflavin-3,3'-Digallate rich black teas. *American Journal of Plant Sciences*, 6: 3001-3012 (Doi:[10.4236/ajps.2015.619295](https://doi.org/10.4236/ajps.2015.619295)).
19. Maritim, T.K.; Kamunya, S.M.; Mireji, P.; Mwendia, V.; Muoki, R.C.; Cheruiyot, E.K. and **Wachira, F.N.** (2015). Physiological and biochemical responses of tea (*Camellia sinensis* (L.) O. Kuntze) to water deficit stress. *Journal of Horticultural Science and Biotechnology*, 90: 355-400.

20. Too, J.C.; Kinyanjui, T.; Wanyoko, J.K. and **Wachira, F.N.** (2015). Effect of sunlight exposure and different withering durations on Theanine levels in tea (*Camellia sinensis*). *Food and Nutrition Sciences*, 6: 1014-1021.
21. George, K.O.; Moseti, K.O.; Wanyoko, J.K.; Kinyanjui, T. and **Wachira, F.N.** (2015). Quantitation of the total catechin content in oils extracted from seeds of selected tea (*Camellia sinensis* (L.) O. Kuntze, Theacea) clones by RP-HPLC. *American Journal of Plant Science*, 6: 1080-1089.
22. Njogu, R.N.E.; Kariuki, D.K.; Kamau, D.M. and **Wachira, F.N.** (2015). Economic evaluation of foliar NPK fertilizer on tea yields in Kenya. *Journal of Plant Studies*, 4:35-43.
23. Kiprotich, F.; Cheruiyot, E.; Mwendia, C.M.; **Wachira, F.N.** and Kimani, P. (2015). Genetic variation of biochemical characteristics of selected Sorghum varieties from East Africa. *African Journal of Food Science*, 9: 314-321.
24. Kamithi, K.D.; Kibe, A.M. and **Wachira F.** (2015). Effect of some priming methods, durations under various initial soil moistures in desi chickpea (*Cicer arietinum* L.). *Journal of Cereals and Oil Seeds*, 6: 8-13.
25. Kamithi, K.D.; Kibe, A.M. and **Wachira F.** (2015). Effect of different initial soil moisture on desi chickpea ICCV 95107 (*Cicer arietinum* L.) dry matter production and crop growth rate. *International Journal of Environmental and Agriculture Research*, 1(6): 1-10.
26. Karori, M.; **Wachira, F.N.**; Ngure, R.; Mireji, P. and Wachira, S. (2014). Antimutagenic effect of Kenyan Tea cultivars in a bacterial test system, *The Pharma Innovation Journal*, 3(8): 94-100.
27. Karori, S.M.; **Wachira, F.N.**; Ngure, R.M and Mireji, P.O (2014). Polyphenolic composition and antioxidant activity of Kenyan Tea cultivars. *Journal of Pharmacognosy and Phytochemistry*, 3(4): 105-116.
28. Chore, J.K.; Obonyo, M.; **Wachira, F.N.** and Mireji, P.O. (2014). Larvicidal activity of selected *Aloe* species against *Aedes aegypti* (Diptera: Culicidae). *Journal of Insect Science*, 14 (202), DOI:10.1093/jisesa/ieu064.
29. Korir, M.W; **Wachira, F.N.**; Wanyoko, J.K.; Ngure, R.M. and Khalid, R. (2014). The fortification of tea with sweeteners and milk and its effect on *in vitro* antioxidant potential of tea product and glutathione levels in an animal model. *Food Chemistry*, 145:145-153.
30. Rashid, K.; **Wachira, F.N.**; Nyariki, J.N. and Isaac, A.O. (2014). Kenyan purple tea anthocyanins and co-enzyme- Q₁₀ ameliorate post treatment reactive encephalopathy associated with cerebral human African trypanosomiasis in murine model. *Parasitology International* 63:417-426.

31. Koech, R.K.; **Wachira, F.N.**; Ngure, R.M.; Wanyoko, J.K.; Bii, C.C.; Karori, S.M. and Kerio, L.C. (2014). Antioxidant, antimicrobial and synergistic activities of tea polyphenols. *African Crop Science Journal*, 22: 837-846.
32. Rashid, K.; **Wachira, F.N.**; Ngure, R.M. ; Nyabuga, J.N.; Wanyonyi, B.; Murilla, G. and Orina, A.O. (2014). Kenyan purple tea anthocyanins ability to cross the blood brain barrier reinforcing brain antioxidant capacity in mice. *African Crop Science Journal*, 22: 819-828.
33. Kimani, P.M.; Cheruiyot, E.K.; Owuoche, J. O.; **Wachira, F.** and Kimani, E. (2014). Genetic diversity of farmers' preferred Sorghum accessions and improved lines from ICRISAT reveal a disconnect between innovation and technology transfer. *Journal of Crop Science and Biotechnology*, 17(2): 97- 102 (Doi No 10.1007/s12892-013-0130-6).
34. Kimani, P.M.; **Wachira, F.**; Cheruiyot, E.K.; Owuoche, J. and Kimani, E. (2014). Genetic diversity of African Sorghum (*Sorghum bicolor* L. Moench) accessions based on microsatellite markers. *Australian Journal of Crop Science*, 8(2): 171-177.
35. Moseti, K.O.; Kinyanjui, T.; Wanyoko, J.K. and **Wachira, F.N.** (2014). Some factors influencing free fluoride content in black tea infusions. *African Crop Science Journal*, 22: 897-904.
36. Mbuthia, S.K.; **Wachira, F.N.** and Koech, R. (2014). *In vitro* antimicrobial and synergistic properties of water soluble green and black tea extracts. *African Journal of Microbiology Research*, 8(14): 1527-1534.
37. Njogu, R.N.E.; Kariuki, D.K.; Kamau, D.M. and **Wachira, F.N.** (2014). Effects of foliar fertilizer application on quality of tea (*Camellia sinensis*) grown in the Kenyan highlands. *American Journal of Plant Sciences*, 5:2707-2715.
38. Kiprotich, F.K.; Cheruiyot, E.K.; Mwendia, C.M.; **Wachira, F.N.** and Owuoche, J. (2014). Biochemical quality indices of Sorghum genotypes from east Africa for malting and brewing. *African Journal of Biotechnology*, 13(2): 312-321.
39. Othira, J.O; Omolo, J.O.; Kiruki, S.; Onek, L.A. and **Wachira, F.N.** (2014). Molecular diversity of arbuscular mycorrhizal fungi (AMF) in Lake Victoria Basin of Kenya. *Journal of Ecology and the Natural Environment* 6(4): 145-152.
40. Ndungu, J.N.; **Wachira, F.N.**; Kinyua, M.G.; Lelgut, D.K.; Njau, P.; Okwaro, H. and Obiero, H. (2014). Genetic diversity study of Kenyan cassava germplasm using simple sequence repeats. *African Journal of Biotechnology* 13(8): 926-935
41. Njuguna, D.G.; Wanyoko, J.K.; Kinyanjui, T. and **Wachira, F.N.** (2014). Fatty acids residues composition in the de-oiled tea seed oil cake. *Science Journal of Biotechnology*. Doi:10.7273/sibt/263.

42. Njogu, R.N.E.; Kariuki, D.K.; Kamau, D.M. and **Wachira, F.N.** (2014). Relationship between tea (*Camellia sinensis*) leaf uptake of major nutrients, Nitrogen, Phosphorus and Potassium (NPK) and leaf anatomy of different varieties grown in the Kenya highlands. *International Journal of Humanities, Arts, Medicine and Sciences*, 2(8):95-102.
43. Koech, K.R.; **Wachira, F. N.**; Ngure, R.M.; Wanyoko, J.K.; Bii, C.; Karori, S.M. and Kerio, L.C. (2013). Antimicrobial, synergistic and antioxidant activities of tea polyphenols. In: Microbial pathogens and strategies for combating them: Science, Technology and Education, (A. Mendez- Villas, Ed)
44. Muturi, S.M.; Karanja, L.S.; **Wachira, F.N.** and Wambulwa, M.C. (2013). Ten (10) M Ammonium acetate is an efficient molecular concentration for the extraction of genomic DNA used for rolling circle amplification. *African Journal of Biotechnology*, 12(39): 5770-5798.
45. Rashid, K.; **Wachira, F.N.**; Nyabuga, J.N.; Wanyonyi, B.; Murilla, G. and Isaac, A.O. (2013). Kenyan purple tea anthocyanins ability to cross the blood brain barrier and reinforce brain antioxidant capacity in mice. *Nutritional Neuroscience*, Doi 10.1179/1476830513Y.0000000081.
46. Kilel, E.C.; Faraj, A.K.; Wanyoko, J.K.; **Wachira, F.N.** and Mwingirwa, V. (2013). Green tea from purple leaf coloured tea clones in Kenya- their quality characteristics. *Food Chemistry*, 141:769-775.
47. Koech, K.R.; **Wachira, F. N.**; Ngure, R.M.; Wanyoko, J.K.; Bii, C. and Karori, S.M. (2013). Antibacterial and synergistic activity of different tea crude extracts against antibiotic resistant *S. aureus*, *E. coli* and a clinical isolate of *S. typi*. *Science Journal of Microbiology* doi:10.7237/sjmb/115.
48. Kilel, E.C.; Wanyoko, J.K.; Faraj, A.K. and **Wachira, F.N.** (2013). Plain black tea quality parameters of purple leaf coloured tea clones in Kenya. *International Journal of Research in Chemistry and Environment*, 3: 81-88.
49. Wanjala, B.W.; Obonyo, M.; **Wachira, F.N.**; Muchugi, A.; Mulaa, M.; Harvey, J.; Skilton, R.A.; Proud, J. and Hanson, J. (2013). Genetic diversity in Napier grass (*Pennisetum purpureum*) cultivars: Implications for breeding and conservation. *AoB Plants*, 5: plt022; doi:10.1093/aobpla/plt022.
50. Koech K. R.; **Wachira F. N.**; Ngure R. M.; Orina I. A.; Wanyoko J. K.; Bii C. and Karori S. M. (2013). Antifungal activity of crude tea extracts. *African Journal of Agricultural Research*, 8(19): 2086-2089.
51. Kerio, L.C.; **Wachira, F.N.**; Wanyoko, J.K. and Rotich, M.K. (2013). Total polyphenols, catechin profiles and antioxidant activity of tea products from purple leaf coloured purple tea cultivars. *Food Chemistry*, 136: 1405-1413.

52. Moseti, K.O.; Wanyoko, J.K.; Kinyanjui, T. and **Wachira, F.N.** (2013). Extractability of fluoride into black tea liquors, Kenya. *International Journal of Environmental Protection*, 3 (5): 14-19.
53. George, K.O.; Kinyanjui, T.; Wanyoko, J.; Moseti, K.O. and **Wachira, F.N.** (2013). Extraction and analysis of tea (*Camellia sinensis*) seed oil from different clones. *African Journal of Biotechnology*, 12(8): 841-846.
54. Njuguna, D.G.; Wanyoko, J.K.; Kinyanjui, T. and **Wachira, F.N.** (2013). Mineral elements in Kenyan tea seed oil cake. *International Journal of Research in Chemistry and Environment*, 3: 253-261.
55. Wambulwa, M.C.; **Wachira, F.N.**; Karanja, L.S.; Kiarie, S.M. and Muturi, S.M. (2013). The influence of host and pathogen genotypes on symptom severity in Banana Streak Disease. *African Journal of Biotechnology*, 12: 27-31.
56. **Wachira, F.N.**; Karori, S.; Kerio, L. and Wanyoko, J. (2012). Cultivar type and antioxidant potency of tea product. In: Tea in Health and Disease Prevention, Preedy, V.R. (Ed), Academic Press, London, UK, pp 91-102.
57. **Wachira, F.N.**; Kamunya, S.; Karori, S.; Chalo, R. and Maritim, T. (2012). The tea plant: Botanical aspects. In: Tea in Health and Disease Prevention, Preedy, V.R. (Ed), Academic Press, London, UK pp 3-17.
58. Wambulwa, M.C.; **Wachira, F.N.**; Karanja, L.S. and Muturi, S.M. (2012). Rolling Circle Amplification is more sensitive than PCR and serology-based methods in detection of *Banana Streak virus* in *Musa* germplasm. *American Journal of Plant Science*, 3: 1581-1587.
59. Kamunya, S.M.; **Wachira, F.N.**; Pathak, R.S.; Muoki, R.C. and Sharma, R.K. (2012). Tea improvement in Kenya. In: Advanced topics in Science and Technology in China: Global tea breeding- Achievements, challenges and perspectives, (Chen, L.; Apostolidis, Z. and Chen, Z.M. (Eds)), Zhejiang University Press and Springer-Verlag Berlin Heidelberg, pp 177-22.
60. Kerio, L.C.; **Wachira, F.N.**; Wanyoko, J.K. and Rotich, M.K. (2012). Characterization of anthocyanins in Kenyan teas: Extraction and identification. *Food Chemistry*, 131: 31-38. [DOI:10.1016/j.foodchem.2011.08.005].
61. Ndungu, J.N.; **Wachira, F.N.**; Kinyua, M.G.; Lelgut, D.K.; Okwaro, H.; Njau, P. and Obiero, H. (2012). Influence of environment on Cassava quality traits in Central Rift Valley of Kenya. *American Journal of Plant Sciences*, 3: 1504-1512.
62. Othira, J.O.; Omolo, J.O.; **Wachira, F.N.** and Onek, L.A. (2012). Effectiveness of arbuscular mycorrhizal fungi in protection of maize (*Zea mays* L.) against witchweed (*Striga hermonthica* Del. Benth.) infestation. *Journal of Agricultural Biotechnology and Sustainable Development* 4(3): 37-44.

63. Obura, E.; Masiga, D.; **Wachira, F.**; Gurja, B. and Khan, Z.R (2011). Detection of phytoplasma by loop-mediated isothermal amplification of DNA (LAMP). *Journal of Microbiological Methods* 84: 312–316
64. Kerio, L.C.; Bend, J.; **Wachira, F.N.**; Wanyoko, J.K. and Rotich, M.K. (2011). Attenuation of t-Butylhydroperoxide induced oxidative stress in HEK 293WT cells by tea catechins and anthocyanins. *Journal of Toxicology and Environmental Health Sciences* 3(14): 367-375.
65. Kimani, E.N.; **Wachira, F.N.** and Kinyua, M.G. (2012). Molecular diversity of Kenyan lablab bean (*Lablab purpureus* (L.) Sweet) accessions using Amplified Fragment Length Polymorphism markers. *American Journal of Plant Sciences* 3: 313-321.
66. Karori, S.M.; Ngure, R.M. and **Wachira, F.N.** (2011). Effects of tea on survival rates and liver pathology of *Trypanosoma brucei brucei* infected mice. *Journal of Protozoology Research*. 21: 1-7.
67. Sudoi, V.; Cheramgoi, E.; Langat, J.K.; Kamunya, S.M. and **Wachira, F.N.** (2011). Screening of Kenyan tea clones for susceptibility to mite attack at different ecological zones. *International Journal of Current Research* 3(6):328-332.
68. Matasyoh, L.G.; **Wachira, F.N.**; Kinyua, M.G. and Mungai, A.W. (2011). Genetic diversity of the medicinal plant *Ocimum gratissimum* L. (Mint) from Kenya based on AFLP markers. *Journal of Life Sciences* 5:92-101.
69. Owuor, P.O.; **Wachira, F.N.** and Ng'etich, W.K. (2010). Influence of region of production on relative clonal plain tea quality parameters in Kenya. *Food Chemistry* 119:1168-1174.
70. Obura, E.; Masiga, D.; Midego, C.A.O.; **Wachira, F.**; Pickett, J.A.; Deng, A.L. and Khan, Z.R. (2010). First report of a phytoplasma associated with Bermuda grass white leaf disease in Kenya. *New Disease Reports* 21:23, [DOI:10.5197/j.2044-0588.2010.021.023].
71. Gemenet D.C.; **Wachira, F.N.**; Pathak, R.S. and Munyiri, S.W. (2010). Identification of molecular markers linked to drought tolerance using bulked segregant analysis in Kenyan maize (*Zea mays* L.) landraces. *Journal of Animal and Plant Sciences* 9:1122-1134.
72. Cheruiyot, E.K.; Mumera, L.M.; Ng'etich, W.K.; Hassanali, A. and **Wachira, F.N.** (2010). Higher fertilizer rates increase susceptibility of tea to water stress. *Journal of Plant Nutrition*. 33:115-129.
73. Ngure, R.M.; Eckersall, P.; Burke, J.; Karori, S.M.; Mwangi, W.W.; **Wachira, F.N.**; Maathai, R. and Murray, M. (2009). Endotoxin-like effects in acute phase response to *Trypanosoma brucei brucei* infection are not due to gastrointestinal leakage. *Parasitology International* 58:325-329.

74. Wasike, V.W.; Lesueur, D.; Wachira, F.N.; Mungai, N.W.; Mumera, L.M.; Sanginga, N.; Mburu, H.N.; Mugadi, D.; Wango, P. and Vanlauwe, B. (2009). Genetic diversity of indigenous *Bradyrhizobium* nodulating promiscuous soyabean (*Glycine max* (L.) Merr.) varieties in Kenya: Impact of phosphorus and lime fertilization in two contrasting sites. *Plant and Soil* 322: 151-163 [DOI 10.1007/s11 104-009-9902-7].
75. Ngure, R.M.; Ongeri, B.; Karori, S.M.; Wachira, W.; Maathai, R.G.; Kibugi, J.K. and Wachira, F.N. (2009). Anti-Trypanosomal effects of *Azadirachta indica* (Neem) extract on *Trypanosoma brucei rhodesiense* infected mice. *Eastern Journal of Medicine* 14:2-9.
76. Wasike, V.W.; Mburu, H.N.; Vanlauwe, B.; Wachira, F.N.; Mungai, N.W.; Mumera, L.M.; Sanginga, N.; Owuoche, J.O.; Wasilwa, L.A. and Lesueur, D. (2009). Environmental influence on the genetic diversity of indigenous *Bradyrhizobia* nodulating promiscuous soyabean in Kenya. *East African Agriculture and Forestry Journal* 75(2): 109-119.
77. Mahasi, M.J.; Wachira, F.N.; Pathak, R.S. and Riungu, T.C. (2009). Genetic polymorphism in exotic safflower (*Carthamus tinctorius* L.) using RAPD markers. *Journal of Plant Breeding and Crop Science*. 1(1): 8-12.
78. Chiveu, J.; Dangasuk, O.G.; Omunyin, M.E. and Wachira, F.N. (2009). Genetic diversity in Kenyan populations of *Acacia Senegal* (L.) Willd based on ISSR markers. *Silvae Genetica* 58:20-28.
79. Kamunya, S.M.; Wachira, F.N.; Pathak, R.S.; Muoki, R.C.; Wanyoko, J.K.; Ronno, W.K. and Sharma, R.K. (2009). Quantitative genetic parameters in tea (*Camellia sinensis* (L.) O. Kuntze): I. Combining abilities for yield, drought tolerance and quality traits. *African Journal of Plant Science* 3:93-101.
80. Karori, S.M.; Ngure, R.M.; Wachira, F.N.; Wanyoko, J.K. and Ngugi, J.M. (2008). Different types of tea products attenuate chronic inflammation induced in *Trypanosome brucei* infected mice. *Parasitology International* 57: 325–333
81. Cheruiyot, E.K.; Mumera, L.M.; Ng'etich, W.K.; Hassanali, A.; Wachira, F.N. and Wanyoko, J.K. (2008). Shoot epicatechin and epigallocatechin contents respond to water stress in tea (*Camellia sinensis* (L.) O. Kuntze). *Bioscience, Biochemistry and Biotechnology* 72:1219-1226
82. Machohi, S. K.; Wachira, F. N.; Langat, J.; Otieno, W. and Sudoi, V. (2008). Integrated management of root knot nematode (*Meloidgyne* spp) in tea (*Camellia sinensis*) in Kenya. *International Journal of Pest Management* 54:129-136
83. Matasyoh, L.G.; Matasyoh, J.C.; Wachira, F.N.; Kinyua, M.G.; Muigai, A.W.T. and Mukama, T.K. (2008). Antimicrobial activity of essential oils of *Ocimum gratissimum* L. from different populations of Kenya. *African Journal of Traditional, Complementary and Alternative Medicines* 6: 760-765

84. Chiveu, C.J.; Dangasuk, O.G.; Omunyin, M.E. and **Wachira, F.N.** (2008). Quantitative variation among Kenyan populations of *Acacia Senegal* Willd. for gum production, seed and growth traits. *New Forests* 38: DOI 10. 1007/s11 056-008-9128-1.
85. Chiveu, C.J.; Dangasuk, O.G.; Omunyin, M.E. and **Wachira, F.N.** (2008). Genetic diversity in Kenyan populations of *Acacia Senegal* (L.) willd, revealed by combined RAPD and ISSR markers. *African Journal of Biotechnology* 7:2333-2340.
86. Matasyoh, L.G.; **Wachira, F.N.**; Kinyua, M.G.; Muigai, A.W.T. and Mukama, T.K. (2008). Leaf storage conditions and genomic DNA isolation efficiency in *Ocimum gratissimum* from Kenya. *African Journal of Biotechnology* 7:557-564.
87. Muchugi, A.; Muluvi, G.M.; Simons, A.J.; **Wachira, F.N.** and Jamnadass, R.H. (2008) Estimation of outcrossing rate in a natural breeding population of *Warburgia ugandensis* using AFLP markers. *African Journal of Biotechnology* 7:139-146.
88. Muoki, R.C.; **Wachira, F.N.**; Pathak, R.S. and Kamunya, S.M. (2008). Potential male gametophyte competition among *Camellia sinensis* genotypes in isolated biclonal seed orchards. *African Crop Science Journal* 15: 59-66.
89. Karori, S.M.;**Wachira, F. N.**; Wanyoko, J.K. and Ngure, R.M. (2007). Antioxidant capacity of different types of tea products. *African Journal of Biotechnology* 6: 2287-2296.
90. Cheruiyot, E.K.; Mumera, L.M.; Ng'etich, W.K.; Hassanali, A. and **Wachira, F.N.** (2007). Polyphenols as potential indicators for drought tolerance in tea (*Camellia sinensis* L.). *Bioscience, Biochemistry and Biotechnology* 71: 2190-2197.
91. Muoki, R.C.; **Wachira, F.N.**; Pathak, R.S. and Kamunya, S.M. (2007). Assessment of the mating system of *Camellia sinensis* in biclonal seed orchards based on PCR markers. *Journal of Horticultural Science and Biotechnology* 82: 733-738.
92. Owuor, P.O.; **Wachira, F.N.**; Obanda, M. and Waller, G.R. (2007). Effects of caffeine on *in-vitro* growth of tea. *Journal of Plantation Crops* 35: 36-38.
93. Matasyoh, L.G.; Matasyoh, J.C.; **Wachira, F.N.**; Kinyua, M.G.; Muigai, A.W.T. and Mukama, T.K. (2007). Chemical composition and antimicrobial activity of the essential oil of *Ocimum gratissimum* L. growing in Eastern Kenya. *African Journal of Biotechnology* 6: 760-765
94. Owuor, P.O.; Kavoi, M.M.; **Wachira, F.N.** and Ogola, S.O. (2007) Sustainability of small holder tea growing in Kenya. A country Report. *International Journal of Tea Science* 6:1-23.
95. Mahasi, M.J.; Pathak, R.S.; **Wachira, F.N.**; Riungu, T.C.; Kinyua, M.G. and Kamundia, J.W. (2006). Correlations and path coefficient analysis in exotic safflower (*Carthamus*

tinctorious L.) genotypes tested in the arid and semi arid lands (ASALs) of Kenya. *Asian Journal of Plant Sciences* 5:105-1038.

96. Mahasi, M.J.; Pathak, R.S.; **Wachira, F.N.**; Riungu, T.C.; Kinyua, M.G. and Waweru, J.K. (2006). Genotype by environment (GxE) interactions and stability in safflower (*Carthamus tinctorious* L.). *Asian Journal of Plant Sciences* 5: 1017-1021.
97. **Wachira, F. N.** and Kamunya, S. K. (2005). Pseudo self incompatibility in some tea clones (*Camellia sinensis* L. (O.) Kuntze). *Journal of Horticultural Science and Biotechnology*, 80: 716-720.
98. **Wachira, F. N.** and Ronno, W. (2005). Tea research along value chains: Constraints and potential areas of inter-institutional collaboration. *Tea* 26:19-31.
99. **Wachira, F. N.** (2005) Kenya: An important tea producer. *Ryokucha* (World Green Tea Association Bulletin) 16: 37-40. (In English with Japanese Translation)
100. Kamunya, S.; **Wachira, F. N.**; Rotich, S. and Wanyoko, J. K. (2004). Clonal tea response to varying nursery rooting media. *Tea* 24(2): 52-60.
101. Kamunya, S.; **Wachira, F. N.** and Ng'etich, W. K. (2004). Use of artificial shading material in a tea nursery. *Tea* 24(2): 61-62.
102. Kamunya, S. and **Wachira, F. N.** (2004). Alternative means for rapid multiplication of tea: use of shoots in tea propagation- Preliminary indications *Tea* 24(2): 63-65.
103. **Wachira, .F. N**; Wanyoko, J. K.; Ng'etich, W. K.; Bore, J and Makokha, M. (2004) Evaluation and terminal reports of selected experiments at the Tea Research Institute of Tanzania (TRIT). *A Consultancy Report for the Tea Research Institute of Tanzania (TRIT)*.
104. Magoma, G. N.; **Wachira, F. N**; Imbuga, M.; Agong, S. (2003). Biochemical differentiation in *Camellia sinensis* and its wild relatives as revealed by isozyme and catechin patterns. *Biochemical Systematics and Ecology* 31: 995-1010.
105. Ng'etich, W. K. and **Wachira, F.N.** (2003) Variations in leaf anatomy and gas exchange in tea clones with different ploidy. *Journal of Horticultural Science and Biotechnology* 78(2): 172-176.
106. **Wachira, F. N.** (2003). Characterization and estimation of genetic relatedness within the Kenyan pyrethrum germplasm by analysis of genomic DNA. *A Consultancy project Report for the Pyrethrum Board of Kenya*.
107. **Wachira, F. N.**; Nge'tich, W. K.; Omolo, J. and Mamati, G. E. (2002). Genotype X environment interactions for tea yields. *Euphytica* 127: 289-296.

108. Mamati, G. E.; **Wachira, F. N.** and Njuguna, C. K. (2002). Clonal tea evaluation for potential as new cultivars in the TRFK plant improvement programme: Preliminary results. *Tea* 23(2): 54-61.
109. **Wachira, F. N.** (2002). Genetic mapping of tea: A review of achievements and opportunities. *Tea* 23(2): 91-102.
110. **Wachira, F. N.** (2002). Detection of genetic diversity and characterization of Kenyan tea germplasm. A Tea Genetic Diversity (TGD) Project. *TGD Final Project Document*, Kericho, Kenya.
111. **Wachira, F.N.**; Tanaka, J.; Takeda, Y. (2001). Genetic variation and differentiation in tea (*Camellia sinensis*) germplasm revealed by RAPD and AFLP variation. *Journal of Horticultural Science and Biotechnology* 76: 557-563.
112. **Wachira, F. N.** (2001). A preliminary study on the characterization and estimation of genetic relatedness among Kenyan commercial clones of pyrethrum by analysis of genomic DNA samples. *A Consultancy Project Report for the Pyrethrum Board of Kenya*.
113. Magoma, G. N.; **Wachira, F. N.**; Obanda, M. (2001). The catechin diversity and pharmacological potential inherent in Kenyan tea. *Tea* 22(2): 83-93.
114. Mamati, G. E.; **Wachira, F. N.**; Njuguna, C. K. (2001). 2001 TRFK released clones. *Tea* 22(1): 6-7.
115. **Wachira, F. N.** (2000). Molecular markers: New tools for an old science: The case of tea. *African Journal of Science and Technology (Science and Engineering Series)* 1:1-9.
116. Hackett, C. A; **Wachira, F.N.**; Paul, S.; Powell, W.; Waugh, R. (2000). Construction of a genetic linkage map for *Camellia sinensis* (tea). *Heredity* 85: 346-355.
117. Magoma, G.; **Wachira, F.N.**; Obanda, M. ;Imbuga, M.; Agong, S.G. (2000).The use of catechins as Biochemical markers in diversity studies of tea (*Camellia sinensis*). *Genetic Resources and Crop Evolution* 47:107-114
118. **Wachira, F.N.** (2000). Intellectual Property Rights (IPRs): What effect to the tea industry. *TRFK Quarterly Bulletin*, 5(4): 5-10.
119. Koskey, J.K. and **Wachira, F.N.** (2000). The use of plastid chloroplast count technique to determine ploidy levels in tea. *Tea* 21: 15-18.
120. **Wachira, F.N.**; Njagi, G.D.E. and Magambo, M.J.S. (1999). A comparative intraspecific karyotype analysis in some Kenyan tea cultivars (*Camellia sinensis* L.O. Kuntze). *Discovery and Innovation* 11(3/4): 199-206.

121. **Wachira, F. N.** and Ngetich, W.K (1999). Dry matter production and partition in diploid, triploid and tetraploid tea. *Journal of Horticultural Science and Biotechnology*.74: 507-512.
122. **Wachira,F.N.** (1999). Looking into Tea Leaves: Kenya .In; Sharing Innovative Experiences Volume 1: Examples of Successful Initiatives in Science and Technology in the South. A publication of the Special Unit for Technical Corporation among Developing Countries, United Nations Development Programme, Third World Academy of Sciences, Third World Network of Scientific Organizations, pp47-52
123. Seurei, P.; **Wachira, F.N.**; Obanda, M and Owuor, P (1998). Breeding and Clonal selection: Preliminary results from a recent trial. *Tea* 19: 71-76.
124. **Wachira, F.N.** and Muoki, R.C. (1997). Nucleolar and nucleolus organizer regions in tea as visualized by silver staining. *African Crop Science Journal*. 5 : 253 - 258.
125. **Wachira,F.N.** (1997). *In vitro* multiplication of *Eucalyptus grandis*. *African Crop Science Journal* 5: 239 -252.
126. **Wachira, F.N.**; Powell, W; and Waugh, R (1997). An assessment of genetic diversity among *Camellia sinensis* L (Cultivated tea) and its wild relatives based on randomly amplified polymorphic DNA and organelle specific STS. *Heredity* 78, 603-611.
127. Paul, S; **Wachira, F.N.**;Powell, W and Waugh, R (1997). Diversity and genetic differentiation among populations of Indian and Kenyan tea (*Camellia sinensis* (L.O.Kuntze) revealed by AFLP markers *Theoretical and. Applied. Genetics*, 94:255-263
128. **Wachira, F.N.** (1997). Advances in tea genetics. *Tea* 18:101-115.
129. Seurei, P.;**Wachira, F.N.**; Njuguna, C.K.(1997). Cambod tea; Potential for commercial exploitation in Kenya.*Tea* 18 : 6-10.
130. **Wachira, F.N.** (1997). Characterization and estimation of genetic relatedness among heterogeneous populations of commercial tea clones by random amplification of genomic DNA samples. *Tea* 18:11-20
131. **Wachira, F.N.** (1996). Genetic diversity and differentiation in the Kenyan tea germplasm. TRFK-Quarterly bulletin 14 :5-6
132. **Wachira, F.N.** (1996). Genetic diversity in Tea revealed by Randomly Amplified Polymorphic DNA markers. *Tea* 17:60-68.
133. **Wachira, F.N.** (1996). Development of molecular markers in *Camellia*. PhD Thesis, Dundee University, U.K.
134. **Wachira, F.N.** and Ogada, J. (1995). *In vitro* regeneration of *Camellia sinensis* (L.) O. Kuntze by somatic embryogenesis. *Plant Cell Reports* 14:463-466.

135. **Wachira, F.N.**; Waugh, R; Hackett, C; Powell, W. (1995). Detection of genetic diversity in tea (*Camellia sinensis*) using RAPD markers. *Genome* 38:201-210.
136. **Wachira, F.N.** (1994). Triploidy in tea (*Camellia sinensis*): Effect on yield and yield attributes *Journal of Horticultural Science*.69:53-60.
137. **Wachira,F.N.** (1994). Tea Cytogenetics. *Tea Biotech Newsletter* 1 (Nov. 1994).
138. **Wachira, F.N.**; Waugh, R; Powell, W. (1994). A potential for use of randomly amplified polymorphic DNA (RAPDS) markers in assessing genetic diversity in Tea. *Tea Biotech Newsletter* 1 (Nov 1994).
139. **Wachira, F.N.** and Njuguna, C.K. (1994). Clonal yield performance of some Cambod teas (“Shan tea”) *Camellia sinensis* var. *assamica* subsp. *Lasiocalyx* (Plancon ex. watt)- A technical note. *Tea* 15:70-73.
140. **Wachira, F.N.** (1994) Breeding and clonal selection in relation to black Tea quality.*Tea* 15:56-66.
141. **Wachira, F.N.**; Bore,J.K. and Njuguna,C.K. (1994). Evaluation of fuel wood species for use in the Tea industry. *Tea* 15:119-123.
142. Ngetich, W.K. and **Wachira, F.N.**(1992). Use of a non-destructive method of leaf area estimation in triploid and diploid Tea plants. *Tea* 13:11-17.
143. **Wachira, F.N.**and Kiplangat, J.K. (1991). Newly identified Kenyan polyploid tea strains. *Tea* 12: 10-13.
144. **Wachira, F.N.**; Ngetich, W.K.; Obaga, S.O. and Othieno, C.O. (1990). Genotype x Environment interactions and genotypic stabilities in tea: A preliminary indication.*Tea* 11: 51-57.
145. **Wachira, F.N.** (1990). Desirable tea plants: An overview of a search for markers. *Tea* 11: 42-48.
146. **Wachira, F.N.** (1990). Biotechnology: An assessment of its applicability in the improvement of Kenyan tea clones.Tissue and cell culture. *Tea* 11:34-41.